



Professional Manufacturer

STONE COATED STEEL ROOFING TILE

Management, Technological Innovation, Service First

SHANDONG JIACHENG STONE COATED STEEL ROOFING TILE CO.,LTD.

Shandong Jiacheng Stone Coated Steel Roofing Tile Company Limited is a professional producer and exporter of stone coated metal roofing tiles. Our tiles include bond, classic, shingle, Milano, rainbow, wave tile. Besides we could provide Research and Development of new products. O E M and O D M orders are welcomed.

As a subsidiary of Shandong Tiancheng Group, Jiacheng has rich producing experience and good management level. We focus on quality-control and creating customers' value. We have passed I S O 9 0 0 1 and C O C Certification. Our products have been sold to many countries in Asian, Middle-East, Africa, Europe and America with sound quality feedback.

Covering an area of 5,000 square of tile producing site, equipped with 4 advanced automatic production lines, Jiacheng could produce 4 million square meters of tile each year.

We could not only meet the needs of final users but also serve main tile importers with the shortest lead time of 3 days.

As one of the earliest manufacturer of stone coated metal roof tile, we deeply understand the meaning of good quality and good service. We aim to establish long-term partnership and make sure all clients could benefit through our cooperation.

We are looking forward to agents from all over the world.

Welcome to visit our factory. Expect to cooperate with you.





JIACHENG ROOF

STONE COATED METAL ROOFING TILES

Stone coated metal roofing tile (gravel watts, particle monolayer steel tile) is a new kind of earthquake resistant building materials, compared with other, higher hardness, fixed number of year of the life can reach more than 50 years, color diversity, install light; Can reduce stress, earthquake resistance, wind resistance, not aging, no rust, no insect, less rain, economical and practical, high temperature resistance to cold, is the good choice of high-grade villas and construction. The tile is titanium zinc zinc alloy bottom, attached on the surface of ceramic particles mixture of natural and never fade out. Stone coated metal roofing tile is 0.4 mm thick sluminium zinc steel plate as the base material, surface is covered with high-temperature TaoHua coloring process color vermiculite, multi-layer composite processing and formation of the modern green roof materials Aluminium zinc steel plate than galvanized sheet, with good durability, heat resistance, thermal reflectivity, and corrosion resistance, long service life of steel sheet, is thought to 30 years in various environment can guarantee no rust corrosion. High temperature colored leech writing TaoHua process, bright color, never fade.

With colored stone metal tile instead of traditional glass tile, not only can largely reduce the damage caused by the earthquake, and more beautiful and durable.

CHARACTERISTICS OF THE ADVANTAGE

1. Light Weight, Green Economy

Is about 6 kg per square meter, only about 1/8 of the ceramic tile and cement tile, facts have proven that because do not need to increase the bearing force of roof support system, and handling the construction is very light, so can save a lot of cost, and it can be repeated use, is widely used in villas, apartments clubs, ping change slope and all kinds of public.

2. Good Durability and Life

Metal tile should be by far the most economical ideal roofing material, it is not afraid f fall, not afraid to hit, heat resistance, low temperature resistant, flame retardant, waterproof, corrosion resistance, wide application.

3. Simple and Convenient Construction


Metal tile easy cutting, easy to bend, 2 slices of every square metre only, the use of safe, quick installation, basic don't need maintenance.

4. Resistance to Strong Wind

Based on its unique level nailing installation, suitable for all kinds of metal tile roof construction, including high-rise buildings, its good strong wind resistance, has been confirmed in many engineering examples.

5. Meguiar's Modern

Due to diffuse reflection characteristics of gravel itself, together with the appearance of bright colors and stereo, makes metal tile world attention of roofing tile materia.



Material Structure

1. BOND TILE & HEAVY DUTY BOND TILE

Colored stone tile is among the first launch of tile type of circular arc form, the appearance of the sliding are beautiful and easy to water, is very popular with the market, combined with the structure of the laid a solid foundation for the development promotion.



Bond Tile



Heavey Duty Bond Tile

Type	Thickness	Tile Size	Installed Size	Tiles Per Sqm	Weight
Bond Tile	0.4mm	1340mm*420mm*0.4mm	1290mm*370mm*0.4mm	2.1pcs	6kgs/m ³
Heavy Duty Bond Tile					

2. CLASSIC TILE

Bevel edge tile has a variation pattern. Appear roofing with more character, strong, angular lines, projected roof resolute spirit, live beneath it more secure.



Type	Thickness	Tile Size	Installed Size	Tiles Per Sqm	Weight
Classic Tile	0.4mm	1340mm*420mm*0.4mm	1290mm*370mm*0.4mm	2.1pcs	6kgs/m ³

3. SHINGLE TILE

Gridded now after colored stone tile is a kind of new design, on the basis of good rolling stripe again want to suppress grid module, make simple jumps out active under the pattern of lines, blue after covering.



Type	Thickness	Tile Size	Installed Size	Tiles Per Sqm	Weight
Shingle Tile	0.4mm	1340mm*420mm*0.4mm	1290mm*370mm*0.4mm	2.1pcs	6kgs/m ³

4. MAKUTI GRAINED TILE


Wood grain type colored stone tile is another example of metal imitation of natural wood, the design of the coarse grained wood straightforward feeling shows, both to protect the forest and shows woodiness sense of roofing, creates the symbiosis of different materials.



Type	Thickness	Tile Size	Installed Size	Tiles Per Sqm	Weight
Makuti Grained Tile	0.4mm	1340mm*420mm*0.4mm	1290mm*370mm*0.4mm	2.1pcs	6kgs/m ³

5.ROMAN TILE

Rainbow colored stone tile is indispensable to building blocks tile type, concave and convex curved tile using any of the materials are the most common type of tile, metal structure to make it function better, become an organic whole repeatedly is out of reach for clay tile process.



Type	Thickness	Tile Size	Installed Size	Tiles Per Sqm	Weight
Roman Tile	0.4mm	1300mm*420mm*0.4mm	1250mm*370mm*0.4mm	2.3pcs	6kgs/m ³

6.MILANO TILE

Milan watt light and strong, durable. Has a smooth curve, concave and convex and orderly administrative levels sense, can perfect show different architectural beauty, improve the taste and grade of the building.



Type	Thickness	Tile Size	Installed Size	Tiles Per Sqm	Weight
Milano Tile	0.4mm	1340mm*420mm*0.4mm	1290mm*370mm*0.4mm	2.1pcs	6kgs/m ³


7. WAVE TILE

Wave type colored stone tile is an imitation of wave shape tile type, sleek, smooth and strong and durable, make the whole house appears harmonious moderation.





Type	Thickness	Tile Size	Installed Size	Tiles Per Sqm	Weight
Wave Tile	0.4mm	1300mm*420mm*0.4mm	1250mm*370mm*0.4mm	2.3pcs	6kgs/m ³

8. GROOVE TILE



Type	Thickness	Tile Size	Installed Size	Tiles Per Sqm	Weight
Groove Tile	0.4mm	1300mm*420mm*0.4mm	1250mm*370mm*0.4mm	2.3pcs	6kgs/m ³

Unit: mm





 **JIACHENG ROOFS**

Tel: +86-539-8877711 +86-15753953987

Fax: +86-539-8877711

Email: csw@shangdongjiacheng.com

Web: <http://www.jiachengcsw.com> www.jiachengroof.com

Add: Linyi Shandong National Economic and Technological Development Zone